	Application No.	Applicant(s)
Notice of Allowability		
	10/535,542 Examiner	NAKAMURA ET AL.
	DINH T. LE	2816
The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED is or other appropriate comm IGHTS. This application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>11/1/06</u> .	•	
2. The allowed claim(s) is/are 1,2 and 4-7.		
 3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received.	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Revie	w (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		•
(b) including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment o	or in the Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of I	nformal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview S	Summary (PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	7. ⊠ Examiner's	./Mail Dates Amendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's 9. ☐ Other	S Statement of Reasons for Allowance DIFFIELD ONLY ONLY
		PRIMARY EXAMINER

"Application/Control Number: 10/535,542

Art Unit: 2816

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Page 2

The following changes have been made in the subject of the application to put the claims in a condition for allowance.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Douglas Mueller on 11/20/06.

CLAIMS

- In claim 2:

Line 13, replaced "time" with –time which starts in synchronization with a point in time which the output signal of the phase difference detecting circuit is held in the register--.

- Claim 3 was cancelled
- In claim 6:
 - Line 1, replaced "a cut-off" with -the cut-off--.

REASONS FOR ALLOWANCE

The following is an Examiner's Statement of Reasons for Allowance:

The applicant's amendment filed 11/01/06 overcomes the technical deficiencies and the prior art rejection. Claims 1-2 and 4-7 are allowed because the prior art of record does not suggest "the counter", "the decoder" and "the register" as combined in claim 1 "wherein the main filter is controlled using an output signal of the register, and the reference filter or the phase difference detecting circuit is halted according to a lapse ors predetermined period of time which

Art Unit: 2816

starts in synchronization with a point in time at which the output signal of the phase difference detecting circuit is held in the register" as combined in claim 2.

CONCLUSION

Any comments considered necessarily by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DINH T. LE whose telephone number is (571) 272-1745. The examiner can normally be reached on Monday-Friday (8AM-7PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TIMOTHY CALLAHAN can be reached at (571) 272-1740.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

1/5/07

DINHTLE PRIMARY EXAMINER